

Product Data Sheet

GDF15 Blocking Peptide

Catalog # Source Reactivity Applications

CBP3369 Synthetic H, M, Mk, P BL

Description The peptide is used to block Anti-GDF15 Antibody (#CPA3369) reactivity.

Form Lyophilized powder

Gene Symbol GDF15

Alternative Names MIC1; PDF; PLAB; PTGFB; Growth/differentiation factor 15; GDF-15; Macrophage

inhibitory cytokine 1; MIC-1; NSAID-activated gene 1 protein; NAG-1;

NSAID-regulated gene 1 protein; NRG-1; Placental TGF-beta; Placental bone

morphogenetic protein; Prostate dif

Entrez Gene 9518 (Human); 23886 (Mouse)

SwissProt Q99988 (Human); Q9Z0J7 (Mouse)

Purity >85%

Quality Control

The quality of the peptide was evaluated by reversed-phase HPLC and by mass

spectrometry.

Directions for Use Blocking Peptide to the diluted primary antibody in a molar ratio of 10:1 (peptide to

antibody) and incubate the mixture at 4°C for overnight or at room temperature for

2 hours.

Storage/Stability Shipped at 4°C. Store at -20°C for one year.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED