

## **Product Data Sheet**

## **BTK Blocking Peptide**

Catalog #	Source	Reactivity	Applications			
CBP5784	Synthetic	H, M, R, B, D, Mk	BL			
Description	The p	The peptide is used to block Anti-BTK Antibody (#CPA5784) reactivity.				
Form	Lyoph	ilized powder				
Gene Symbol	ВТК	ВТК				
Alternative N	ames AGMX	AGMX1; ATK; BPK; Tyrosine-protein kinase BTK; Agammaglobulinemia tyrosine				
	kinase	e; ATK; B-cell progenitor	kinase; BPK; Bruton tyrosine kinase			
Entrez Gene	695 (H	695 (Human); 12229 (Mouse)				
SwissProt	Q061	87 (Human); P35991 (Mo	ouse)			
Purity	>85%					
Quality Contr	ol The q	The quality of the peptide was evaluated by reversed-phase HPLC and by mass				
	spect	rometry.				
Directions for	<b>Use</b> Blocki	Blocking Peptide to the diluted primary antibody in a molar ratio of 10:1 (peptide to				
	antibo	ody) and incubate the m	ixture at 4°C for overnight or at room temperature for			
	2 hou	rs.				
Storage/Stabi	ility Shipp	ed at 4°C. Store at -20°C	for one year.			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

## **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com