

## **Product Data Sheet**

## Anti-IL-22 Antibody

Catalog #	Source	Reactivity	Applications		
CQA3698	Rabbit	H, M, R	WB, IH		
Description	Ra	bbit polyclonal antibody	to IL-22		
Immunogen	Re	combinant protein of hu	man IL-22. The exact sequence is proprietary.		
Purification	Th	e antibody was purified	by immunogen affinity chromatography.		
Specificity	Re	cognizes endogenous lev	vels of IL-22 protein.		
Clonality	Ро	lyclonal			
Conjugation					
Form	Liq	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol,			
	an	d 0.01% sodium azide.			
Dilution	WI	3 (1/500 - 1/1000), IH (1/1	00 - 1/200)		
Gene Symbol	IL2	2			
Alternative Na	ames ILT	IF; ZCYTO18; Interleukin	-22; IL-22; Cytokine Zcyto18; IL-10-related		
	T-c	ell-derived-inducible fac	tor; IL-TIF		
Entrez Gene	50	616 (Human); 50929 (M	ouse)		
SwissProt	Q9	GZX6 (Human); Q9JJY9 (	Mouse)		
Storage/Stabi	lity Sh	ipped at 4°C. Upon delive	ery aliquot and store at -20°C for one year. Avoid		
	fre	eze/thaw cycles.			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

#### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com

# Cohesion

kDa A

70

51 38 28


19

16

For research purposes only, not for human use

# **Product Data Sheet**

Western blot analysis of IL-22 expression in mouse kidney (A) whole cell lysates. (Predicted band size: 20 kD; Observed band size: 18 kD)



Immunohistochemical analysis of IL-22 staining in human brain formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com