


Donkey Anti-Goat IgG (H&L) DyLight 488

Catalog #	Source	Reactivity	Applications
CSA1001	Donkey	G	IF, FC
Description	Donkey Polyclonal Secondary Antibody to Goat IgG (H&L) DyLight 488		
Immunogen	Goat IgG (H&L)		
Purification	The antibody was isolated from antisera by immunoaffinity chromatography using antigens coupled to agarose beads.		
Specificity	By immunoelectrophoresis and ELISA this antibody reacts specifically with Goat IgG. No antibody was detected against non immunoglobulin serum proteins.		
Clonality	Polyclonal		
Conjugation	DyLight 488		
Form	Liquid in 0.01M Sodium phosphate, 0.25M NaCl, 50% Glycerol, pH7.2, 0.05% Sodium Azide		
Dilution	IF (1/100 - 1/800), FC (1/100 - 1/800)		
Storage/Stability	Shipped at 4°C. Upon delivery aliquot and store at -20°C for six months. Avoid freeze/thaw cycles.		



Line colors represent the approximate visible colors of the wavelength maxima.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC- Immunocytochemistry, IP- Immunoprecipitation, CHIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference

Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb- Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB
www.cohesionbio.com

ORDER
order@cohesionbio.com

SUPPORT
techsupport@cohesionbio.com

CUSTOM
custom@cohesionbio.com