

## **Product Data Sheet**

## Goat Anti-Human IgG (H&L) Biotin

Catalog #	Source	e Reactivity	Applications	
CSA2202	Goat	Н	E, WB, IH, IC	
Description		Goat Polyclonal Secondary Antibody to Human IgG (H&L) Biotin		
Immunogen		Human IgG		
Purification		The antibody was isolated	from antisera by immunoaffinity chromatography using	
		antigens coupled to agard	se beads.	
Specificity		By immunoelectrophores	s and ELISA this antibody reacts specifically with Human	
		IgG. No antibody was dete	ected against non immunoglobulin serum proteins.	
Clonality		Polyclonal		
Conjugation		Biotin		
Form		Liquid in 0.01M Phosphat	e Buffered Saline, pH 7.2, containing 1% BSA, 50% glycerol,	
		0.05% Sodium Azide		
Dilution		E (1/5000 - 1/20000), WB (	1/5000 - 1/20000), IH (1/500 - 1/1000), IC (1/500 - 1/1000)	
Storage/Stabi	lity	Shipped at 4°C. Upon deli	very aliquot and store at -20°C for one year. Avoid	
		freeze/thaw cycles.		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC- Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

## **COHESION BIOSCIENCES LIMITED**

WEB ORDER SUPPORT CUSTOM
www.cohesionbio.com order@cohesionbio.com techsupport@cohesionbio.com custom@cohesionbio.com