

Product Data Sheet

Mouse Anti-Human IgG Fc Biotin

Catalog #	Source	Reactivity	Applications	
CSA2238	Mouse	Н	E, WB, IH, IC	
Description	Mou	Mouse Monoclonal Secondary Antibody to Human IgG Fc Biotin		
Immunogen	Hum	Human IgG Fc		
Purification	The	The antibody was isolated from ascitic by immunoaffinity chromatography using		
	antig	gens coupled to agaro	se beads.	
Specificity	By in	By immunoelectrophoresis and ELISA this antibody reacts specifically with Human		
	IgG F	c. No antibody was d	etected against non immunoglobulin serum proteins.	
Clonality	Mon	Monoclonal		
Conjugation	Bioti	Biotin		
Form	Liqui	d in 0.01M Phosphate	Buffered Saline, pH 7.2, containing 1% BSA, 50% glycerol,	
	0.05	% Sodium Azide		
Dilution	E (1/	5000 - 1/20000), WB	(1/5000 - 1/20000), IH (1/500 - 1/1000), IC (1/500 -	
	1/10	00)		
Storage/Stability Shipped at 4°C. Upon delivery aliquot and store at -20		ery aliquot and store at -20°C for one year. Avoid		
	freez	e/thaw cycles.		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference

Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB ORDER SUPPORT CUSTOM
www.cohesionbio.com order@cohesionbio.com techsupport@cohesionbio.com custom@cohesionbio.com