

## **Product Data Sheet**

## Goat Anti-Pig IgG (H&L) - FITC

Catalog #	Source	e Reactivity	Applications
CSA2314	Goat	Р	E, IH, IF, FC
Description		Goat Polyclonal Secondary	Antibody to Pig IgG (H&L) FITC
Immunogen		Pig IgG	
Purification		The antibody was isolated	from antisera by immunoaffinity chromatography using
		antigens coupled to agaro	se beads.
Specificity		By immunoelectrophoresi	s and ELISA this antibody reacts specifically with Pig IgG.
		No antibody was detected	against non immunoglobulin serum proteins.
Clonality		Polyclonal	
Conjugation		FITC	
Form		1 mg/ml. Liquid in 0.01M	Phosphate Buffered Saline, pH 7.2, containing 1% BSA,
		50% glycerol, 0.05% Sodiu	m Azide
Dilution		IH (1/100 - 1/1000), IF (1/10	00 - 1/1000), FC (1/1000 - 1/4000), E (Use at an assay
		dependent concentration)	
Fluorophore		Ex/Em = 493/528 nm	
Storage/Stabi	lity	Shipped at 4°C. Upon deliv	very aliquot and store at -20°C for one year. Avoid
		freeze/thaw cycles.	

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference

Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

## **COHESION BIOSCIENCES LIMITED**

WEB ORDER SUPPORT CUSTOM
www.cohesionbio.com order@cohesionbio.com techsupport@cohesionbio.com custom@cohesionbio.com