

Product Data Sheet

Rabbit Anti-Bovine IgG (H&L) - FITC

Catalog #	Source	Reactivity	Applications	
CSA2317	Rabbit	В	E, IH, IF, FC	
Description	Ra	abbit Polyclonal Seconda	ry Antibody to Bovine IgG (H&L) FITC	
Immunogen	Вс	ovine IgG		
Purification	Th	ne antibody was isolated	from antisera by immunoaffinity chromatography using	
	ar	ntigens coupled to agaros	se beads.	
Specificity	Ву	By immunoelectrophoresis and ELISA this antibody reacts specifically with Bovine		
	Ig	G. No antibody was dete	cted against non immunoglobulin serum proteins.	
Clonality	Po	olyclonal		
Conjugation	FI.	тс		
Form	1	mg/ml. Liquid in 0.01M I	Phosphate Buffered Saline, pH 7.2, containing 1% BSA,	
	50	0% glycerol, 0.05% Sodiu	m Azide	
Dilution	IH	(1/100 - 1/1000), IF (1/10	0 - 1/1000), FC (1/1000 - 1/4000), E (Use at an assay	
	de	ependent concentration)		
Fluorophore	Ex	c/Em = 493/528 nm		
Storage/Stabi	lity Sh	nipped at 4°C. Upon deliv	ery aliquot and store at -20°C for one year. Avoid	
	fre	eeze/thaw cycles.		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference

Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB ORDER SUPPORT CUSTOM
www.cohesionbio.com order@cohesionbio.com techsupport@cohesionbio.com custom@cohesionbio.com