ADH7 Blocking Peptide

Catalog #	Source	Reactivity	Applications
CBP1022	Synthetic	H, M, R, Mk, P	BL

Description	The peptide is used to block Anti-ADH7 Antibody (#CPA1022) reactivity.
Form	Lyophilized powder
Gene Symbol	ADH7
Alternative Names	Alcohol dehydrogenase class 4 mu/sigma chain; Alcohol dehydrogenase class IV mu/sigma chain; Gastric alcohol dehydrogenase; Retinol dehydrogenase
Entrez Gene	131 (Human); 11529 (Mouse); 171178 (Rat)
SwissProt	P40394 (Human); Q64437 (Mouse); P41682 (Rat)
Purity	>85%
Quality Control	The quality of the peptide was evaluated by reversed-phase HPLC and by mass spectrometry.
Directions for Use	Blocking Peptide to the diluted primary antibody in a molar ratio of 10:1 (peptide to antibody) and incubate the mixture at 4°C for overnight or at room temperature for 2 hours.
Storage/Stability	Shipped at 4°C. Store at -20°C for one year.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC- Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference
Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb- Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED