

Product Data Sheet

Cytochrome P450 27A1 Blocking Peptide

Catalog #	Source	Reactivity	Applications			
CBP1328	Synthetic	н	BL			
Description	The p	eptide is used to blocl	Anti-Cytochrome P450 27A1 Antibody (#CPA1328)			
	reacti	vity.				
Form	Lyoph	ilized powder				
Gene Symbol	CYP27	7A1				
Alternative Na	imes CYP27	CYP27; Sterol 26-hydroxylase, mitochondrial;				
	5-beta	a-cholestane-3-alpha,	7-alpha,12-alpha-triol 27-hydroxylase; Cytochrome			
	P-450	C27/25; Cytochrome P	450 27; Sterol 27-hydroxylase; Vitamin D(3)			
	25-hy	droxylase				
Entrez Gene	1593	1593 (Human)				
SwissProt	P3194	13, P55795 (Human)				
Purity	>85%					
Quality Contro	D The q	The quality of the peptide was evaluated by reversed-phase HPLC and by mass				
	spect	rometry.				
Directions for	Use Blocki	Blocking Peptide to the diluted primary antibody in a molar ratio of 10:1 (peptide to				
	antibo	ody) and incubate the	mixture at 4°C for overnight or at room temperature for			
	2 hou	rs.				
Storage/Stabi	lity Shipp	ed at 4°C. Store at -20	°C for one year.			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com