

Product Data Sheet

MCL1 Blocking Peptide

Catalog # Source Reactivity Applications

CBP1726 Synthetic H, D, P BL

Description The peptide is used to block Anti-MCL1 Antibody (#CPA1726) reactivity.

Form Lyophilized powder

Gene Symbol MCL1

Alternative Names BCL2L3; Induced myeloid leukemia cell differentiation protein Mcl-1; Bcl-2-like

protein 3; Bcl2-L-3; Bcl-2-related protein EAT/mcl1; mcl1/EAT

Entrez Gene 4170 (Human)

SwissProt Q15118 (Human)

Purity >85%

Quality Control The quality of the peptide was evaluated by reversed-phase HPLC and by mass

spectrometry.

Directions for UseBlocking Peptide to the diluted primary antibody in a molar ratio of 10:1 (peptide to

antibody) and incubate the mixture at 4°C for overnight or at room temperature for

2 hours.

Storage/Stability Shipped at 4°C. Store at -20°C for one year.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC- Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED