

## **Product Data Sheet**

## c-Myc Blocking Peptide

Catalog #	Source	Reactivity	Applications			
CBP1778	Synthetic	H <i>,</i> D	BL			
Description	The p	The peptide is used to block Anti-c-Myc Antibody (#CPA1778) reactivity.				
Form	Lyoph	nilized powder				
Gene Symbol	MYC	MYC				
Alternative N	ames BHLH	BHLHE39; Myc proto-oncogene protein; Class E basic helix-loop-helix protein 39;				
	bHLH	e39; Proto-oncogene	e c-Myc; Transcription factor p64			
Entrez Gene	4609	4609 (Human)				
SwissProt	Q132	Q13200 (Human)				
Purity	>85%	>85%				
Quality Contr	ol The c	The quality of the peptide was evaluated by reversed-phase HPLC and by mass				
	spect	rometry.				
Directions for	Use Block	Blocking Peptide to the diluted primary antibody in a molar ratio of 10:1 (peptide to				
	antib	ody) and incubate th	e mixture at 4°C for overnight or at room temperature for			
	2 hou	irs.				
Storage/Stab	i <b>lity</b> Shipp	ed at 4°C. Store at -2	0°C for one year.			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

## **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com