

Product Data Sheet

Transglutaminase 2 Blocking Peptide

Catalog #	Source	Reactivity	Applications			
CBP2159	Synthetic	H, Mk	BL			
Description	The pe	eptide is used to blo	ck Anti-Transglutaminase 2 Antibody (#CPA2159)			
	reactiv	vity.				
Form	Lyoph	ilized powder				
Gene Symbol	TGM2	TGM2				
Alternative Na	ames Protei	Protein-glutamine gamma-glutamyltransferase 2; Tissue transglutaminase;				
	Transg	glutaminase C; TG(C)	; TGC; TGase C; Transglutaminase H; TGase H;			
	Transg	glutaminase-2; TGase	e-2			
Entrez Gene	7052 (7052 (Human)				
SwissProt	P1147	3 (Human)				
Purity	>85%					
Quality Contro	ol The qu	The quality of the peptide was evaluated by reversed-phase HPLC and by mass				
	spectr	ometry.				
Directions for	Use Blocki	Blocking Peptide to the diluted primary antibody in a molar ratio of 10:1 (peptide to				
	antibo	ody) and incubate th	e mixture at 4°C for overnight or at room temperature for			
	2 hou	rs.				
Storage/Stabi	lity Shippe	ed at 4°C. Store at -2	0°C for one year.			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com