

Product Data Sheet

STMN2 Blocking Peptide

| Catalog # | Source | e Reactivit | у | Applications | | |
|--------------------|--------|---|-------------------------|--|--|--|
| CBP2531 | Synthe | etic H, M, R, | B, C, D, Mk, P, Rb | BL | | |
| Description | | The peptide is used to block Anti-STMN2 Antibody (#CPA2531) reactivity. | | | | |
| Form | | Lyophilized powder | | | | |
| Gene Symbol | | STMN2 | | | | |
| Alternative Names | | SCG10; SCGN10; Stathmin-2; Superior cervical ganglion-10 protein; Protein SCG10 | | | | |
| Entrez Gene | | 11075 (Human); 20257 (Mouse); 84510 (Rat) | | | | |
| SwissProt | | Q93045 (Human); P55821 (Mouse); P21818 (Rat) | | | | |
| Purity | | >85% | | | | |
| Quality Control | | The quality of the peptide was evaluated by reversed-phase HPLC and by mass | | | | |
| | | spectrometry. | | | | |
| Directions for Use | | Blocking Peptide to the diluted primary antibody in a molar ratio of 10:1 (peptide to | | | | |
| | | antibody) and inc | ubate the mixture at 4° | C for overnight or at room temperature for | | |
| 2 | | 2 hours. | | | | |
| Storage/Stability | | Shipped at 4°C. Store at -20°C for one year. | | | | |

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

| WEB | ORDER | SUPPORT | CUSTOM |
|---------------------|-----------------------|-----------------------------|------------------------|
| www.cohesionbio.com | order@cohesionbio.com | techsupport@cohesionbio.com | custom@cohesionbio.com |