

## **Product Data Sheet**

## **MED22 Blocking Peptide**

Catalog #	Source	Reactivity	Applications			
CBP3019	Synthetic	H, M, R	BL			
Description	The pe	The peptide is used to block Anti-MED22 Antibody (#CPA3019) reactivity.				
Form	Lyoph	ilized powder				
Gene Symbol	MED2	MED22				
Alternative Na	ames SURF5	SURF5; Mediator of RNA polymerase II transcription subunit 22; Mediator complex				
	subun	it 22; Surfeit locus pr	rotein 5; Surf-5			
Entrez Gene	6837 (	Human); 20933 (Mo	use); 100911917, 499762 (Rat)			
SwissProt	Q1552	28 (Human); Q62276	(Mouse); A0JPN6 (Rat)			
Purity	>85%					
Quality Contro	ol The qu	The quality of the peptide was evaluated by reversed-phase HPLC and by mass				
	spectr	ometry.				
Directions for	Use Blocki	Blocking Peptide to the diluted primary antibody in a molar ratio of 10:1 (peptide to				
	antibo	ody) and incubate the	e mixture at 4°C for overnight or at room temperature for			
	2 hou	rs.				
Storage/Stabi	lity Shippe	ed at 4°C. Store at -20	0°C for one year.			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

## **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com