

Product Data Sheet

M-CSF Blocking Peptide

| Catalog # | Source | Reactivity | Applications | | | |
|----------------|------------|---|---|--|--|--|
| CBP3655 | Synthetic | H, M, R | BL | | | |
| Description | The | The peptide is used to block Anti-M-CSF Antibody (#CPA3655) reactivity. | | | | |
| Form | Lyop | Lyophilized powder | | | | |
| Gene Symbol | CSF1 | CSF1 | | | | |
| Alternative N | ames Mac | Macrophage colony-stimulating factor 1; CSF-1; M-CSF; MCSF; Lanimostim | | | | |
| Entrez Gene | 1435 | 1435 (Human); 12977 (Mouse) | | | | |
| SwissProt | P096 | P09603 (Human); P07141 (Mouse); Q8JZQ0 (Rat) | | | | |
| Purity | >859 | >85% | | | | |
| Quality Contr | ol The | The quality of the peptide was evaluated by reversed-phase HPLC and by mass | | | | |
| | spec | trometry. | | | | |
| Directions for | Use Bloc | Blocking Peptide to the diluted primary antibody in a molar ratio of 10:1 (peptide to | | | | |
| | antil | body) and incubate the | e mixture at 4°C for overnight or at room temperature for | | | |
| | 2 ho | urs. | | | | |
| Storage/Stabi | ility Ship | ped at 4°C. Store at -2 | 0°C for one year. | | | |

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

| WEB | ORDER | SUPPORT | CUSTOM |
|---------------------|-----------------------|-----------------------------|------------------------|
| www.cohesionbio.com | order@cohesionbio.com | techsupport@cohesionbio.com | custom@cohesionbio.com |