

Product Data Sheet

BRAF35 Blocking Peptide

Catalog #	Source	Reactivity	Applications			
CBP4007	Synthetic	н	BL			
Description	The p	eptide is used to bloc	ck Anti-BRAF35 Antibody (#CPA4007) reactivity.			
Form	Lyoph	ilized powder				
Gene Symbol	HMG	20B				
Alternative N	ames BRAF	BRAF35; HMGX2; HMGXB2; SMARCE1R; SWI/SNF-related matrix-associated				
	actin-	dependent regulator	of chromatin subfamily E member 1-related;			
	SMAF	CE1-related protein;	BRCA2-associated factor 35; HMG box-containing protein			
	20B; I	HMG domain-contain	ning protein 2; H			
Entrez Gene	10362	10362 (Human)				
SwissProt	Q9P0	W2 (Human)				
Purity	>85%					
Quality Contr	ol The q	The quality of the peptide was evaluated by reversed-phase HPLC and by mass				
	spect	rometry.				
Directions for	Use Block	Blocking Peptide to the diluted primary antibody in a molar ratio of 10:1 (peptide to				
	antib	ody) and incubate the	e mixture at 4°C for overnight or at room temperature for			
	2 hou	rs.				
Storage/Stabi	lity Shipp	ed at 4°C. Store at -2	0°C for one year.			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com