

## **Product Data Sheet**

## **MARK3 Blocking Peptide**

Catalog #SourceReactivityCBP4080SyntheticH, M, R, C, ZDescriptionThe peptide is used to block Anti-WFormLyophilized powder	Applications		
Description The peptide is used to block Anti-N			
	BL		
Form Lyophilized powder	/IARK3 Antibody (#CPA4080) reactivity.		
Gene Symbol MARK3			
Alternative Names CTAK1; EMK2; MAP/microtubule af	CTAK1; EMK2; MAP/microtubule affinity-regulating kinase 3; C-TAK1; cTAK1; Cdc25C-associated protein kinase 1; ELKL motif kinase 2; EMK-2; Protein kinase		
Cdc25C-associated protein kinase 1			
STK10; Ser/Thr protein kinase PAR-	-1; Par-1a; Serine/threonine-protein kinase p78		
Entrez Gene 4140 (Human); 17169 (Mouse); 170	4140 (Human); 17169 (Mouse); 170577 (Rat)		
SwissProt P27448 (Human); Q03141 (Mouse)	P27448 (Human); Q03141 (Mouse); Q8VHF0 (Rat)		
Purity >85%			
Quality ControlThe quality of the peptide was eval	The quality of the peptide was evaluated by reversed-phase HPLC and by mass		
spectrometry.			
<b>Directions for Use</b> Blocking Peptide to the diluted prin	Blocking Peptide to the diluted primary antibody in a molar ratio of 10:1 (peptide to		
antibody) and incubate the mixture	e at 4°C for overnight or at room temperature for		
2 hours.			
Storage/Stability Shipped at 4°C. Store at -20°C for o	one year.		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

## **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com