

Product Data Sheet

NDRG2 Blocking Peptide

Catalog #	Source	Reactivity	Applications			
CBP4113	Synthetic	H, M, R, B, P	BL			
Description	The p	The peptide is used to block Anti-NDRG2 Antibody (#CPA4113) reactivity.				
Form	Lyoph	Lyophilized powder				
Gene Symbol	NDRG	NDRG2				
Alternative N	ames KIAA1	KIAA1248; SYLD; Protein NDRG2; N-myc downstream-regulated gene 2 protein;				
	Prote	n Syld709613				
Entrez Gene	57447	57447 (Human); 29811 (Mouse); 171114 (Rat)				
SwissProt	Q9UN	Q9UN36 (Human); Q9QYG0 (Mouse); Q8VBU2 (Rat)				
Purity	>85%	>85%				
Quality Contr	ol The q	The quality of the peptide was evaluated by reversed-phase HPLC and by mass				
	spect	rometry.				
Directions for	Use Blocki	Blocking Peptide to the diluted primary antibody in a molar ratio of 10:1 (peptide to				
	antibo	ody) and incubate the	mixture at 4°C for overnight or at room temperature for			
	2 hou	rs.				
Storage/Stab	ility Shipp	ed at 4°C. Store at -20)°C for one year.			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com