

Product Data Sheet

PGD2 Receptor Blocking Peptide

Catalog #	Source	Reactivity	Applications			
CBP4793	Synthetic	Н, М	BL			
Description	The p	eptide is used to blo	ck Anti-PGD2 Receptor Antibody (#CPA4793) reactivity.			
Form	Lyoph	Lyophilized powder				
Gene Symbol	PTGDI	PTGDR				
Alternative N	ames Prosta	Prostaglandin D2 receptor; PGD receptor; PGD2 receptor; Prostanoid DP receptor				
Entrez Gene	5729 (5729 (Human); 19214 (Mouse)				
SwissProt	Q132	Q13258 (Human); P70263 (Mouse)				
Purity	>85%					
Quality Contr	ol The q	The quality of the peptide was evaluated by reversed-phase HPLC and by mass				
	spectr	rometry.				
Directions for	Use Blocki	Blocking Peptide to the diluted primary antibody in a molar ratio of 10:1 (peptide to				
	antibo	ody) and incubate th	e mixture at 4°C for overnight or at room temperature for			
	2 hou	rs.				
Storage/Stab	ility Shipp	ed at 4°C. Store at -2	20°C for one year.			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com