

## **Product Data Sheet**

## **PEDF Blocking Peptide**

Catalog #	Source	Reactivity	Applications			
CBP4823	Synthetic	H, M, B, Mk, P	BL			
Description	The p	The peptide is used to block Anti-PEDF Antibody (#CPA4823) reactivity.				
Form	Lyoph	Lyophilized powder				
Gene Symbol	SERPI	SERPINF1				
Alternative Na	ames PEDF;	PEDF; Pigment epithelium-derived factor; PEDF; Cell proliferation-inducing gene 35				
	protei	n; EPC-1; Serpin F1				
Entrez Gene	5176 (	5176 (Human); 20317 (Mouse)				
SwissProt	P3695	P36955 (Human); P97298 (Mouse)				
Purity	>85%					
Quality Control	ol The qu	The quality of the peptide was evaluated by reversed-phase HPLC and by mass				
	spectr	ometry.				
Directions for	Use Blocki	Blocking Peptide to the diluted primary antibody in a molar ratio of 10:1 (peptide to				
	antibo	ody) and incubate the m	ixture at 4°C for overnight or at room temperature for			
	2 hou	rs.				
Storage/Stabi	lity Shippe	ed at 4°C. Store at -20°C	for one year.			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

## **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com