

Product Data Sheet

Sugen Kinase 269 Blocking Peptide

| Catalog # | Source | Reactivity | Applications | | | |
|-----------------------|-------------|---|---|--|--|--|
| CBP4929 | Synthetic | Н, М | BL | | | |
| Description | The pe | eptide is used to bloc | ck Anti-Sugen Kinase 269 Antibody (#CPA4929) reactivity. | | | |
| Form | Lyophi | lized powder | | | | |
| Gene Symbol | PEAK1 | PEAK1 | | | | |
| Alternative Na | ames KIAA2 | KIAA2002; Pseudopodium-enriched atypical kinase 1; Sugen kinase 269; | | | | |
| | Tyrosi | ne-protein kinase Sg | K269 | | | |
| Entrez Gene | 79834 | 79834 (Human); 244895 (Mouse) | | | | |
| SwissProt | Q9H79 | 92 (Human); Q69Z38 | 8 (Mouse) | | | |
| Purity | >85% | | | | | |
| Quality Contro | ol The qu | The quality of the peptide was evaluated by reversed-phase HPLC and by mass | | | | |
| | spectr | ometry. | | | | |
| Directions for | Use Blocki | Blocking Peptide to the diluted primary antibody in a molar ratio of 10:1 (peptide to | | | | |
| | antibo | dy) and incubate the | e mixture at 4°C for overnight or at room temperature for | | | |
| | 2 hour | ·s. | | | | |
| Storage/Stabi | lity Shippe | ed at 4°C. Store at -2 | 0°C for one year. | | | |

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

| WEB | ORDER | SUPPORT | CUSTOM |
|---------------------|-----------------------|-----------------------------|------------------------|
| www.cohesionbio.com | order@cohesionbio.com | techsupport@cohesionbio.com | custom@cohesionbio.com |