

## **Product Data Sheet**

## Histidine Decarboxylase Blocking Peptide

Catalog #	Source	Reactivity	Applications			
CBP6215	Synthetic	Н	BL			
Description	The	e peptide is used to bloc	ck Anti-Histidine Decarboxylase Antibody (#CPA6215)			
	rea	ctivity.				
Form	Lyo	Lyophilized powder				
Gene Symbol	HD	HDC				
Alternative N	ames Hist	Histidine decarboxylase; HDC				
Entrez Gene	306	3067 (Human)				
SwissProt	P19	P19113 (Human)				
Purity	>85	>85%				
Quality Contr	ol The	The quality of the peptide was evaluated by reversed-phase HPLC and by mass				
	spe	ctrometry.				
Directions for	Use Blo	Blocking Peptide to the diluted primary antibody in a molar ratio of 10:1 (peptide to				
	ant	ibody) and incubate the	e mixture at 4°C for overnight or at room temperature for			
	2 h	ours.				
Storage/Stabi	i <b>lity</b> Shi	oped at 4°C. Store at -2	0°C for one year.			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

## **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com