

**Directions for Use** 

## **Product Data Sheet**

## hsa-miR-3162-3p miRNA Antagomir

Catalog #	Source	Re	eactivity	Applications
CIJ1390	Synthet	tic H		
Description	!	Synthetic m	niRNA Antagomir is used to inhil	bit the activity of target hsa-miR-3162-3p
	ļ	mRNA.		
Specificity	,	Antagomir i	is chemically-modified single-st	rand miRNA inhibitor functioning by
	1	blocking mi	iRNA regulation of target gene e	expression efficiently. They are synthesized
	1	to reduce th	he ability of endogenous miRNA	As to silence target mRNA transcripts.
	-	They can do	own-regulate the corresponding	g endogenous miRNAs. Our miRNA
	;	antagomir i	is single-strand miRNA inhibitor	carrying the chemically modifications
	1	functioning	g by blocking miRNA regulation o	of target gene expression efficiently.
Form	I	Lyophilized	powder	
Gene Symbol	1	hsa-miR-31	.62-3p	
Accession No.	. 1	MIMAT0019	9213	
Components	-	This synthe	tic miRNA is based on the matu	re miRNA sequence. The strand of the
	;	antagomir h	has 2 phosphorothioates at the	5' end, 4 phosphorothioates, 1
	(	cholesterol	group at the 3' end, and full-ler	ngth nucleotide 2'-methoxy modification.
	!	Stability of	miRNA antagomir appears to be	e significantly higher than miRNA
	i	inhibitors.	It exhibits enhanced cellular u	ptake, stability and regulatory activity and
	i	is recomme	ended for miRNA functional stud	dies in vitro and in vivo.

pellet is located at the bottom of the tube. Dissolve miRNA antagomir to a convenient stock concentration using the recommended volume of DEPC H2O (or RNase-free water). For example: dissolve 10 nmol miRNA antagomir to 20 μM using Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-

Briefly centrifuge tubes containing miRNA antagomir to ensure that the miRNA

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC- Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference

Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

## **COHESION BIOSCIENCES LIMITED**





## **Product Data Sheet**

500 µl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/Stability

Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

**COHESION BIOSCIENCES LIMITED**