

Product Data Sheet

hsa-miR-4433b-3p miRNA Antagomir

Catalog #	Source	Reactivity	Applications		
CIJ2508	Synthetic	н			
Description	Synth	Synthetic miRNA Antagomir is used to inhibit the activity of target			
	hsa-n	niR-4433b-3p mRNA.			
Specificity	Antag	Antagomir is chemically-modified single-strand miRNA inhibitor functioning by			
	block	blocking miRNA regulation of target gene expression efficiently. They are synthesized			
	to rec	luce the ability of en	dogenous miRNAs to silence target mRNA transcripts.		
	They	can down-regulate tl	ne corresponding endogenous miRNAs. Our miRNA		
	antag	omir is single-strand	miRNA inhibitor carrying the chemically modifications		
	funct	ioning by blocking m	RNA regulation of target gene expression efficiently.		
Form	Lyoph	nilized powder			
Gene Symbol	hsa-n	niR-4433b-3p			
Accession No.	MIM	MIMAT0030414			
Components	This s	This synthetic miRNA is based on the mature miRNA sequence. The strand of the			
	antag	omir has 2 phosphor	othioates at the 5' end, 4 phosphorothioates, 1		
	chole	cholesterol group at the 3' end, and full-length nucleotide 2'-methoxy modification.			
	Stabil	Stability of miRNA antagomir appears to be significantly higher than miRNA			
	inhibi	itors. It exhibits enl	nanced cellular uptake, stability and regulatory activity and		
	is rec	ommended for miRN	A functional studies in vitro and in vivo.		
Directions for	Use Brief	Briefly centrifuge tubes containing miRNA antagomir to ensure that the miRNA			
	pellet	is located at the bot	tom of the tube. Dissolve miRNA antagomir to a		
	conve	enient stock concentr	ration using the recommended volume of DEPC H2O (or		
	RNase	e-free water). For exa	ample: dissolve 10 nmol miRNA antagomir to 20 μM using		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

500 μl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/Stability Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com