

# **Product Data Sheet**

### hsa-miR-8071 miRNA Antagomir

Catalog #	Source	Reactivity	Applications	
CIJ2545	Synthetic	Н		
Description	Syı	nthetic miRNA Ar	ntagomir is used to inhibit the activity of target hsa-miR-8071	
	mF	NA.		
Specificity	An	tagomir is chemi	cally-modified single-strand miRNA inhibitor functioning by	
	blo	cking miRNA reg	ulation of target gene expression efficiently. They are synthesized	
	to	reduce the ability	y of endogenous miRNAs to silence target mRNA transcripts.	
	Th	ey can down-reg	ulate the corresponding endogenous miRNAs. Our miRNA	
	an	agomir is single-	strand miRNA inhibitor carrying the chemically modifications	
	fur	ctioning by bloc	king miRNA regulation of target gene expression efficiently.	
Form	Lyc	philized powder		
Gene Symbol	hsa	a-miR-8071		
Accession No.	MI	MAT0030998		
Components	Th	s synthetic miRN	IA is based on the mature miRNA sequence. The strand of the	
	an	agomir has 2 ph	osphorothioates at the 5' end, 4 phosphorothioates, 1	
	ch	cholesterol group at the 3' end, and full-length nucleotide 2'-methoxy modification.		
	Sta	bility of miRNA a	antagomir appears to be significantly higher than miRNA	
	inł	ibitors. It exhib	pits enhanced cellular uptake, stability and regulatory activity and	
	is r	ecommended fo	r miRNA functional studies in vitro and in vivo.	
<b>Directions for</b>	Use Bri	efly centrifuge tu	ubes containing miRNA antagomir to ensure that the miRNA	
	ре	let is located at t	he bottom of the tube. Dissolve miRNA antagomir to a	
	CO	nvenient stock co	oncentration using the recommended volume of DEPC H2O (or	
	RN	ase-free water).	For example: dissolve 10 nmol miRNA antagomir to 20 $\mu M$ using	

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



## **Product Data Sheet**

500 μl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/Stability Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

#### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com