

Product Data Sheet

mmu-miR-499-5p miRNA Antagomir

Catalog #	Source	Reactivity	Applications		
CIN0297	Synthetic	М			
Description	Syı	nthetic miRNA An	tagomir is used to inhibit the activity of target mmu-miR-499-5p		
	mF	NA.			
Specificity	An	tagomir is chemio	cally-modified single-strand miRNA inhibitor functioning by		
	blo	cking miRNA reg	ulation of target gene expression efficiently. They are synthesized		
	to	reduce the ability	of endogenous miRNAs to silence target mRNA transcripts.		
	Th	ey can down-regu	late the corresponding endogenous miRNAs. Our miRNA		
	an	agomir is single-s	strand miRNA inhibitor carrying the chemically modifications		
	fur	ictioning by block	ing miRNA regulation of target gene expression efficiently.		
Form	Lyc	philized powder			
Gene Symbol	mr	nu-miR-499-5p			
Accession No.	. MI	MAT0003482			
Components	Th	s synthetic miRN.	A is based on the mature miRNA sequence. The strand of the		
	an	agomir has 2 pho	osphorothioates at the 5' end, 4 phosphorothioates, 1		
	che	cholesterol group at the 3' end, and full-length nucleotide 2'-methoxy modification.			
	Sta	bility of miRNA a	ntagomir appears to be significantly higher than miRNA		
	inł	ibitors. It exhib	its enhanced cellular uptake, stability and regulatory activity and		
	is r	ecommended for	miRNA functional studies in vitro and in vivo.		
Directions for	Use Bri	efly centrifuge tu	bes containing miRNA antagomir to ensure that the miRNA		
	ре	let is located at t	he bottom of the tube. Dissolve miRNA antagomir to a		
	CO	venient stock co	ncentration using the recommended volume of DEPC H2O (or		
	RN	ase-free water). I	For example: dissolve 10 nmol miRNA antagomir to 20 μ M using		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

500 μl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/StabilityShipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after
reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com