

Product Data Sheet

mmu-miR-615-3p miRNA Antagomir

Catalog #	Source	Reactivity	Applications
CIN0346	Synthetic	c M	
Description	Sy	nthetic miRNA A	ntagomir is used to inhibit the activity of target mmu-miR-615-3p
	m	RNA.	
Specificity	Ai	ntagomir is chem	ically-modified single-strand miRNA inhibitor functioning by
	bl	ocking miRNA re	gulation of target gene expression efficiently. They are synthesized
	to	reduce the abilit	y of endogenous miRNAs to silence target mRNA transcripts.
	Tł	ney can down-reg	ulate the corresponding endogenous miRNAs. Our miRNA
	ar	ntagomir is single	-strand miRNA inhibitor carrying the chemically modifications
	fu	inctioning by bloc	king miRNA regulation of target gene expression efficiently.
Form	Ly	ophilized powde	r
Gene Symbol	m	mu-miR-615-3p	
Accession No	. M	IIMAT0003783	
Components	Tł	nis synthetic miRI	NA is based on the mature miRNA sequence. The strand of the
	ar	ntagomir has 2 ph	osphorothioates at the 5' end, 4 phosphorothioates, 1
	cł	nolesterol group a	t the 3' end, and full-length nucleotide 2'-methoxy modification.
	St	ability of miRNA	antagomir appears to be significantly higher than miRNA
	in	hibitors. It exhi	bits enhanced cellular uptake, stability and regulatory activity and
	is	recommended for	or miRNA functional studies in vitro and in vivo.
Directions for	Use Br	riefly centrifuge t	ubes containing miRNA antagomir to ensure that the miRNA
	pe	ellet is located at	the bottom of the tube. Dissolve miRNA antagomir to a
	cc	onvenient stock c	oncentration using the recommended volume of DEPC H2O (or
	RI	Nase-free water).	For example: dissolve 10 nmol miRNA antagomir to 20 μM using

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

500 μl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/StabilityShipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after
reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com