

# **Product Data Sheet**

### mmu-miR-7665-5p miRNA Antagomir

Catalog #	Source	Reactivity	Applications		
CIN1785	Synthetic	Μ			
Description	Synth	Synthetic miRNA Antagomir is used to inhibit the activity of target			
	mmu-	-miR-7665-5p mRNA.			
Specificity	Antag	Antagomir is chemically-modified single-strand miRNA inhibitor functioning by			
	blocki	ing miRNA regulatior	of target gene expression efficiently. They are synthesized		
	to red	luce the ability of end	dogenous miRNAs to silence target mRNA transcripts.		
	They	They can down-regulate the corresponding endogenous miRNAs. Our miRNA			
	antag	omir is single-strand	miRNA inhibitor carrying the chemically modifications		
	functi	oning by blocking mi	RNA regulation of target gene expression efficiently.		
Form	Lyoph	ilized powder			
Gene Symbol	mmu-	mmu-miR-7665-5p			
Accession No.	MIMA	MIMAT0029836			
Components	This s	This synthetic miRNA is based on the mature miRNA sequence. The strand of the			
	antag	antagomir has 2 phosphorothioates at the 5' end, 4 phosphorothioates, 1			
	chole	sterol group at the 3'	end, and full-length nucleotide 2'-methoxy modification.		
	Stabil	ity of miRNA antagor	nir appears to be significantly higher than miRNA		
	inhibi	tors. It exhibits enh	nanced cellular uptake, stability and regulatory activity and		
	is reco	ommended for miRN	A functional studies in vitro and in vivo.		
Directions for	Use Briefly	y centrifuge tubes co	ntaining miRNA antagomir to ensure that the miRNA		
	pellet	is located at the bot	tom of the tube. Dissolve miRNA antagomir to a		
	conve	nient stock concentr	ation using the recommended volume of DEPC H2O (or		
	RNase	e-free water). For exa	mple: dissolve 10 nmol miRNA antagomir to 20 $\mu M$ using		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



## **Product Data Sheet**

500 μl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/Stability Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

#### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com