

Product Data Sheet

mmu-miR-8102 miRNA Antagomir

Catalog #	Source	Reactivity	Applications
CIN1877	Synthetic	М	
Description	Syı	nthetic miRNA A	ntagomir is used to inhibit the activity of target mmu-miR-8102
	mf	RNA.	
Specificity	An	tagomir is chem	ically-modified single-strand miRNA inhibitor functioning by
	blo	ocking miRNA rea	gulation of target gene expression efficiently. They are synthesized
	to	reduce the abilit	ry of endogenous miRNAs to silence target mRNA transcripts.
	Th	ey can down-reg	ulate the corresponding endogenous miRNAs. Our miRNA
	an	tagomir is single	-strand miRNA inhibitor carrying the chemically modifications
	fur	nctioning by bloc	king miRNA regulation of target gene expression efficiently.
Form	Lyc	ophilized powde	r
Gene Symbol	mr	nu-miR-8102	
Accession No.	MI	MAT0031406	
Components	Th	is synthetic miRI	NA is based on the mature miRNA sequence. The strand of the
	an	tagomir has 2 pł	nosphorothioates at the 5' end, 4 phosphorothioates, 1
	ch	olesterol group a	at the 3' end, and full-length nucleotide 2'-methoxy modification.
	Sta	bility of miRNA	antagomir appears to be significantly higher than miRNA
	inł	ibitors. It exhi	bits enhanced cellular uptake, stability and regulatory activity and
	is ı	ecommended fo	or miRNA functional studies in vitro and in vivo.
Directions for	Use Bri	efly centrifuge t	ubes containing miRNA antagomir to ensure that the miRNA
	ре	llet is located at	the bottom of the tube. Dissolve miRNA antagomir to a
	CO	nvenient stock co	oncentration using the recommended volume of DEPC H2O (or
	RN	ase-free water).	For example: dissolve 10 nmol miRNA antagomir to 20 μM using

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

500 μl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/StabilityShipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after
reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com