

# **Product Data Sheet**

### rno-miR-10b-5p miRNA Antagomir

Catalog #	Source	Reactivity	Applications		
CIS0051	Synthetic	R			
Description	Synt	Synthetic miRNA Antagomir is used to inhibit the activity of target rno-miR-10b-5p			
	mRN	Α.			
Specificity	Anta	gomir is chemically-m	nodified single-strand miRNA inhibitor functioning by		
	blocl	king miRNA regulation	n of target gene expression efficiently. They are synthesized		
	to re	to reduce the ability of endogenous miRNAs to silence target mRNA transcripts.			
	They	They can down-regulate the corresponding endogenous miRNAs. Our miRNA			
	anta	gomir is single-strand	miRNA inhibitor carrying the chemically modifications		
	func	tioning by blocking m	iRNA regulation of target gene expression efficiently.		
Form	Lyop	hilized powder			
Gene Symbol	rno-i	miR-10b-5p			
Accession No.	. MIM	AT0000783			
Components	This	This synthetic miRNA is based on the mature miRNA sequence. The strand of the			
	anta	gomir has 2 phosphor	rothioates at the 5' end, 4 phosphorothioates, 1		
	chole	cholesterol group at the 3' end, and full-length nucleotide 2'-methoxy modification.			
	Stab	Stability of miRNA antagomir appears to be significantly higher than miRNA			
	inhit	oitors. It exhibits en	hanced cellular uptake, stability and regulatory activity and		
	is red	commended for miRN	IA functional studies in vitro and in vivo.		
<b>Directions for</b>	Use Brief	ly centrifuge tubes co	ontaining miRNA antagomir to ensure that the miRNA		
	pelle	t is located at the bot	tom of the tube. Dissolve miRNA antagomir to a		
	conv	enient stock concent	ration using the recommended volume of DEPC H2O (or		
	RNas	se-free water). For exa	ample: dissolve 10 nmol miRNA antagomir to 20 $\mu M$ using		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



## **Product Data Sheet**

500 μl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/Stability Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

#### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com