

# **Product Data Sheet**

### rno-miR-30e-5p miRNA Antagomir

Catalog #	Source	Reactivity	Applications			
CIS0073	Synthetic	R				
Description	Syr	thetic miRNA Ant	agomir is used to inhibit the activity of target rno-miR-30e-5p			
	mR	NA.				
Specificity	Ant	agomir is chemica	ally-modified single-strand miRNA inhibitor functioning by			
	blo	cking miRNA regu	lation of target gene expression efficiently. They are synthesized			
	toı	educe the ability	of endogenous miRNAs to silence target mRNA transcripts.			
	The	ey can down-regul	ate the corresponding endogenous miRNAs. Our miRNA			
	ant	antagomir is single-strand miRNA inhibitor carrying the chemically modifications				
	fun	ctioning by blocki	ng miRNA regulation of target gene expression efficiently.			
Form	Lyo	philized powder				
Gene Symbol	rnc	o-miR-30e-5p				
Accession No.	MI	MAT0000805				
Components	Thi	s synthetic miRNA	is based on the mature miRNA sequence. The strand of the			
	ant	agomir has 2 phos	sphorothioates at the 5' end, 4 phosphorothioates, 1			
	cho	cholesterol group at the 3' end, and full-length nucleotide 2'-methoxy modification.				
	Sta	Stability of miRNA antagomir appears to be significantly higher than miRNA				
	inh	ibitors. It exhibit	ts enhanced cellular uptake, stability and regulatory activity and			
	is r	ecommended for	miRNA functional studies in vitro and in vivo.			
<b>Directions for</b>	Use Bri	Briefly centrifuge tubes containing miRNA antagomir to ensure that the miRNA				
	pel	let is located at th	e bottom of the tube. Dissolve miRNA antagomir to a			
	cor	wenient stock con	centration using the recommended volume of DEPC H2O (or			
	RN	ase-free water). Fo	or example: dissolve 10 nmol miRNA antagomir to 20 $\mu M$ using			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



## **Product Data Sheet**

500 μl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/Stability Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

#### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com