

# **Product Data Sheet**

### rno-miR-205 miRNA Antagomir

Catalog #	Source	Reactivity	Applications			
CIS0144	Synthetic	R				
Description	Synt	Synthetic miRNA Antagomir is used to inhibit the activity of target rno-miR-205				
	mRN	IA.				
Specificity	Anta	Antagomir is chemically-modified single-strand miRNA inhibitor functioning by				
	bloc	blocking miRNA regulation of target gene expression efficiently. They are synthesized				
	to re	to reduce the ability of endogenous miRNAs to silence target mRNA transcripts.				
	They	They can down-regulate the corresponding endogenous miRNAs. Our miRNA				
	anta	antagomir is single-strand miRNA inhibitor carrying the chemically modificati				
	func	tioning by blocking m	iRNA regulation of target gene expression efficiently.			
Form	Lyop	hilized powder				
Gene Symbol	rno-	miR-205				
Accession No.	MIN	1AT0000878				
Components	This	This synthetic miRNA is based on the mature miRNA sequence. The strand of the				
	anta	gomir has 2 phospho	rothioates at the 5' end, 4 phosphorothioates, 1			
	chol	cholesterol group at the 3' end, and full-length nucleotide 2'-methoxy modification.				
	Stab	Stability of miRNA antagomir appears to be significantly higher than miRNA				
	inhil	bitors. It exhibits en	hanced cellular uptake, stability and regulatory activity and			
	is re	commended for miRN	IA functional studies in vitro and in vivo.			
<b>Directions for</b>	Use Brie	Briefly centrifuge tubes containing miRNA antagomir to ensure that the miRNA				
	pelle	et is located at the bo	ttom of the tube. Dissolve miRNA antagomir to a			
	conv	venient stock concent	ration using the recommended volume of DEPC H2O (or			
	RNa	se-free water). For ex	ample: dissolve 10 nmol miRNA antagomir to 20 $\mu M$ using			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



## **Product Data Sheet**

500 μl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/Stability Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

#### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com