

# **Product Data Sheet**

### rno-miR-207 miRNA Antagomir

Catalog #	Source	Reactiv	vity Applications			
CIS0183	Syntheti	ic R				
Description	S	Synthetic miRNA Antagomir is used to inhibit the activity of target rno-miR-207				
	n	nRNA.				
Specificity		Antagomir is chemically-modified single-strand miRNA inhibitor functioning by				
	b	olocking miRNA	regulation of target gene expression efficiently. They are synthesized			
		to reduce the ability of endogenous miRNAs to silence target mRNA transcripts.				
		They can down-regulate the corresponding endogenous miRNAs. Our miRNA				
		antagomir is single-strand miRNA inhibitor carrying the chemically modifications				
	f	unctioning by I	blocking miRNA regulation of target gene expression efficiently.			
Form	L	yophilized pow	/der			
Gene Symbol	r	no-miR-207				
Accession No.	. N	MIMAT0003115				
Components		This synthetic miRNA is based on the mature miRNA sequence. The strand of the				
	а	antagomir has 2 phosphorothioates at the 5' end, 4 phosphorothioates,				
	C	cholesterol group at the 3' end, and full-length nucleotide 2'-methoxy modification.				
		Stability of miRNA antagomir appears to be significantly higher than miRNA				
	iı	nhibitors. It e	whibits enhanced cellular uptake, stability and regulatory activity and			
	is	s recommende	d for miRNA functional studies in vitro and in vivo.			
<b>Directions for Use</b>		Briefly centrifuge tubes containing miRNA antagomir to ensure that the miRNA				
	p	cellet is located	at the bottom of the tube. Dissolve miRNA antagomir to a			
	С	convenient stoo	k concentration using the recommended volume of DEPC H2O (or			
	F	RNase-free wat	er). For example: dissolve 10 nmol miRNA antagomir to 20 $\mu M$ using			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



## **Product Data Sheet**

500 μl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/Stability Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

#### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com