

# **Product Data Sheet**

### rno-miR-28-3p miRNA Antagomir

Catalog #	Source	Reactivity	Applications
CIS0253	Synthetic	R	
Description	Syr	thetic miRNA An	tagomir is used to inhibit the activity of target rno-miR-28-3p
	mF	NA.	
Specificity	An	tagomir is chemic	ally-modified single-strand miRNA inhibitor functioning by
	blo	cking miRNA reg	ulation of target gene expression efficiently. They are synthesized
	to	reduce the ability	of endogenous miRNAs to silence target mRNA transcripts.
	The	ey can down-regu	late the corresponding endogenous miRNAs. Our miRNA
	ant	agomir is single-s	strand miRNA inhibitor carrying the chemically modifications
	fur	ctioning by block	ing miRNA regulation of target gene expression efficiently.
Form	Lyc	philized powder	
Gene Symbol	rno	o-miR-28-3p	
Accession No.	MI	MAT0004716	
Components	Thi	s synthetic miRN	A is based on the mature miRNA sequence. The strand of the
	ant	agomir has 2 pho	osphorothioates at the 5' end, 4 phosphorothioates, 1
	cho	plesterol group at	the 3' end, and full-length nucleotide 2'-methoxy modification.
	Sta	bility of miRNA a	ntagomir appears to be significantly higher than miRNA
	inh	ibitors. It exhib	its enhanced cellular uptake, stability and regulatory activity and
	is r	ecommended for	miRNA functional studies in vitro and in vivo.
<b>Directions for</b>	<b>Use</b> Bri	efly centrifuge tu	bes containing miRNA antagomir to ensure that the miRNA
	pe	let is located at tl	ne bottom of the tube. Dissolve miRNA antagomir to a
	COI	venient stock co	ncentration using the recommended volume of DEPC H2O (or
	RN	ase-free water). F	for example: dissolve 10 nmol miRNA antagomir to 20 $\mu$ M using

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

#### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



## **Product Data Sheet**

500 μl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/Stability Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

#### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com