

Product Data Sheet

Anti-SHIP1 Antibody

Catalog #	Source	e Reactivity	Applications	
CPA1603	Rabbit	t H	WB, IH	
Description		Rabbit polyclonal antibody	to SHIP1	
Immunogen		KLH-conjugated synthetic peptide encompassing a sequence within the C-term		
		region of human SHIP1. Th	e exact sequence is proprietary.	
Purification		The antibody was purified	by immunogen affinity chromatography.	
Specificity		Recognizes endogenous le	vels of SHIP1 protein.	
Clonality		Polyclonal		
Conjugation				
Form		Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol,		
		and 0.01% sodium azide.		
Dilution		WB (1/500 - 1/1000), IH (1/5	50 - 1/100)	
Gene Symbol		INPP5D		
Alternative Names		SHIP; SHIP1; Phosphatidylinositol 3,4,5-trisphosphate 5-phosphatase 1; Inositol		
		polyphosphate-5-phospha	tase of 145 kDa; SIP-145; SH2 domain-containing inositol	
		5'-phosphatase 1; SH2 dor	nain-containing inositol phosphatase 1; SHIP-1; p150Ship;	
		hp51CN		
Entrez Gene		3635 (Human)		
SwissProt		Q92835 (Human)		
Storage/Stabi	lity	Shipped at 4°C. Upon deliv	ery aliquot and store at -20°C for one year. Avoid	
		freeze/thaw cycles.		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED


WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



For research purposes only, not for human use

Product Data Sheet

Western blot analysis of SHIP1 expression in THP1 (A), NAMALWA (B), Ramos (C) whole cell lysates. (Predicted band size: 133 kD; Observed band size: 145 kD)



Immunohistochemical analysis of SHIP1 staining in human lung cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com