

Product Data Sheet

Anti-Vimentin Antibody


Catalog #	Source	Reactivity	Applications
CPA7479	Rabbit	H, M, R, B, Mk, P	WB, IH
Description	Rab	bit polyclonal antibody to V	imentin
Immunogen	KLH	-conjugated synthetic peption	e encompassing a sequence within the C-term
	regi	on of human Vimentin. The	exact sequence is proprietary.
Purification	The	antibody was purified by im	munogen affinity chromatography.
Specificity	Rec	ognizes endogenous levels c	f Vimentin protein.
Clonality	Poly	vclonal	
Conjugation			
Form	Liqu	uid in 0.42% Potassium phos	ohate, 0.87% Sodium chloride, pH 7.3, 30% glycerol,
	and	0.01% sodium azide.	
Dilution	WB	(1/500 - 1/2000), IH (1/50 - 1/	200)
Gene Symbol	VIN	1	
Alternative Na	ames Vim	nentin	
Entrez Gene	743	1 (Human); 22352 (Mouse);	81818 (Rat)
SwissProt	P08	670 (Human); P20152 (Mou	se); P31000 (Rat)
Storage/Stabi	lity Ship	oped at 4°C. Upon delivery a	iquot and store at -20°C for one year. Avoid
	free	eze/thaw cycles.	

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com






For research purposes only, not for human use

Product Data Sheet

Western blot analysis of Vimentin expression in Hela (A), Jurkat (B), A549 (C) whole cell lysates. (Predicted band size: 53 kD; Observed band size: 53 kD)



Immunohistochemical analysis of Vimentin staining in human breast cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com