

Product Data Sheet

Anti-TNF alpha Antibody

Catalog #	Source	Reactivity	Applications			
CPA9218	Mouse	H, M, R	WB, IH			
Description	Mou	se monoclonal antibo	dy to TNF alpha			
Immunogen	Reco	mbinant protein corre	esponding to human TNF alpha.			
Purification						
Specificity	Reco	gnizes endogenous le	vels of TNF alpha protein.			
Clonality	Mon	oclonal				
Conjugation						
Form	Liqui	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol,				
	and (0.01% sodium azide.				
Dilution	WB (1/1000 - 1/2000), IH (1	/50 - 1/200)			
Gene Symbol	TNF					
Alternative Na	ames TNFA	; TNFSF2; Tumor necr	osis factor; Cachectin; TNF-alpha; Tumor necrosis factor			
	ligan	d superfamily membe	er 2; TNF-a			
Entrez Gene	7124	(Human); 21926 (Mc	use); 24835 (Rat)			
SwissProt	P013	75 (Human); P06804	(Mouse); P16599 (Rat)			
Storage/Stabi	lity Shipp	oed at 4°C. Upon deliv	ery aliquot and store at -20°C for one year. Avoid			
	freez	e/thaw cycles.				

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com

Cohesion


kDa A

70

For research purposes only, not for human use

Product Data Sheet

Western blot analysis of TNF alpha expression in recombinant human TNF-a protein (A) whole cell lysates. (Predicted band size: 25 kD; Observed band size: 17; 25 kD)



Immunohistochemical analysis of TNF alpha staining in human tonsil formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com