

## **Product Data Sheet**

### **Anti-Histone H2B Antibody**

-				
Catalog #	Source	Reactivity	Applications	
CQA1099	Rabbit	H, M, R	WB, IH	
Description		Rabbit polyclonal antibody t	o Histone H2B	
Immunogen		Recombinant full length pro	tein of human Histone H2B	
Purification		The antibody was purified b	y immunogen affinity chromatography.	
Specificity		Recognizes endogenous leve	els of Histone H2B protein.	
Clonality		Polyclonal		
Conjugation				
Form		Liquid in 0.42% Potassium p	hosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol,	
		and 0.01% sodium azide.		
Dilution		WB (1/500 - 1/2000), IH (1/50	- 1/200)	
Gene Symbol		HIST2H2BE		
Alternative Names		H2BFQ; Histone H2B type 2-E; Histone H2B-GL105; Histone H2B.q; H2B/q		
Entrez Gene		8349 (Human); 319190 (Mo	use)	
SwissProt		Q16778 (Human); Q64524 (	Mouse)	
Storage/Stabi	lity	Shipped at 4°C. Upon delive	ry aliquot and store at -20°C for one year. Avoid	
		freeze/thaw cycles.		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

#### **COHESION BIOSCIENCES LIMITED**


WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com

# Coherion

For research purposes only, not for human use

## **Product Data Sheet**

Western blot analysis of Histone H2B expression in SW480 (A), BT474 (B) whole cell lysates. (Predicted band size: 13 kD; Observed band size: 13 kD)



Immunohistochemical analysis of Histone H2B staining in human esophageal cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com