

## **Product Data Sheet**

## **Goat Anti-Mouse IgA Biotin**

Catalog #	Source	Reactivity	Applications		
CSA2207	Goat	Μ	E, WB, IH, IC		
Description		Goat Polyclonal Secondary Antibody to Mouse IgA Biotin			
Immunogen		Mouse IgA			
Purification		The antibody was isolated from antisera by immunoaffinity chromatography using			
		antigens coupled to agaros	e beads.		
Specificity		By immunoelectrophoresis	and ELISA this antibody reacts specifically with Mouse		
		IgA. No antibody was detec	ted against non immunoglobulin serum proteins.		
Clonality		Polyclonal			
Conjugation		Biotin			
Form		Liquid in 0.01M Phosphate Buffered Saline, pH 7.2, containing 1% BSA, 50% glycerol,			
		0.05% Sodium Azide			
Dilution		E (1/5000 - 1/20000), WB (1/5000 - 1/20000), IH (1/500 - 1/1000), IC (1/500 - 1/1000)			
Storage/Stabi	lity	Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid			
		freeze/thaw cycles.			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

## **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com