

Product Data Sheet

Mouse Anti-Monkey IgG (H&L) - FITC

Catalog #	Source	Reactivity	Applications			
CSA2339	Mouse	Mk	E, IH, IF, FC			
Description	M	Mouse Monoclonal Secondary Antibody to Monkey IgG (H&L) FITC				
Immunogen	M	Monkey IgG				
Purification	Th	The antibody was isolated from ascitic by immunoaffinity chromatography using				
	an	tigens coupled to agaros	e beads.			
Specificity	Ву	By immunoelectrophoresis and ELISA this antibody reacts specifically with Monkey				
	lgC	3. Cross reactivity with h	uman IgG. No antibody was detected against non			
	im	munoglobulin serum pro	oteins.			
Clonality	M	onoclonal				
Conjugation	FIT	ſC				
Form	1 r	ng/ml. Liquid in 0.01M F	Phosphate Buffered Saline, pH 7.2, containing 1% BSA,			
	50	% glycerol, 0.05% Sodiu	m Azide			
Dilution	IH	(1/100 - 1/1000), IF (1/10	0 - 1/1000), FC (1/1000 - 1/4000), E (Use at an assay			
	de	pendent concentration)				
Fluorophore	Ex,	/Em = 493/528 nm				
Storage/Stabi	lity Sh	ipped at 4°C. Upon deliv	ery aliquot and store at -20°C for one year. Avoid			
	fre	eeze/thaw cycles.				

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com