

Product Data Sheet

Donkey Anti-Goat IgG (H&L) - FITC

Catalog #	Source	Reactivity	Applications	
CSA2367	Donkey	G	E, IH, IF, FC	
Description	Do	onkey Polyclonal Second	ary Antibody to Goat IgG (H&L) FITC	
Immunogen	Go	oat IgG		
Purification	Th	e antibody was isolated	from antisera by immunoaffinity chromatography using	
	an	tigens coupled to agaro	se beads.	
Specificity	Ву	By immunoelectrophoresis and ELISA this antibody reacts specifically with Goat IgG.		
	No	antibody was detected	against non immunoglobulin serum proteins.	
Clonality	Po	lyclonal		
Conjugation	FIT	гс		
Form	1 :	mg/ml. Liquid in 0.01M	Phosphate Buffered Saline, pH 7.2, containing 1% BSA,	
	50	% glycerol, 0.05% Sodiu	m Azide	
Dilution	IH	(1/100 - 1/1000), IF (1/10	00 - 1/1000), FC (1/1000 - 1/4000), E (Use at an assay	
	de	ependent concentration)		
Fluorophore	Ex	/Em = 493/528 nm		
Storage/Stabi	lity Sh	ipped at 4°C. Upon deliv	very aliquot and store at -20°C for one year. Avoid	
	fre	eeze/thaw cycles.		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference

Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB ORDER SUPPORT CUSTOM
www.cohesionbio.com order@cohesionbio.com techsupport@cohesionbio.com custom@cohesionbio.com