

Product Data Sheet

Mouse Anti-Duck IgG (H&L) - AMCA

Catalog #	Source	Reactivity	Applications		
CSA2557	Mouse	Dk	E, IH, IF, FC		
Description	М	Mouse Monoclonal Secondary Antibody to Duck IgG (H&L) AMCA labeled			
Immunogen	Di	uck IgG			
Purification	Tł	The antibody was isolated from ascitic by immunoaffinity chromatography using			
	ar	ntigens coupled to agaros	e beads.		
Specificity	Ву	/ immunoelectrophoresis	and ELISA this antibody reacts specifically with Duck IgG.		
	N	o antibody was detected	against non immunoglobulin serum proteins.		
Clonality	Μ	lonoclonal			
Conjugation	AI	MCA			
Form	1	mg/ml. Liquid in 0.01M F	Phosphate Buffered Saline, pH 7.2, containing 1% BSA,		
	50)% glycerol, 0.02% Sodiu	n Azide		
Dilution	IH	(1/100 - 1/1000), IF (1/10	0 - 1/1000), FC (1/1000 - 1/4000), E (Use at an assay		
	de	ependent concentration)			
Fluorophore	Ex	/Em = 350/450 nm			
Storage/Stabi	lity Sł	ipped at 4°C. Upon deliv	ery aliquot and store at -20°C for one year. Avoid		
	fro	eeze/thaw cycles.			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com