

## **Product Data Sheet**

## Goat Anti-Rat IgG (H&L) - TRITC

Catalog #	Source	Reactivity	Applications		
CSA2662	Goat	R	E, IH, IF, FC		
Description	(	Goat Polyclonal Secondary Antibody to Rat IgG (H&L) TRITC labeled			
Immunogen	F	Rat IgG			
Purification	٦	The antibody was isolated from antisera by immunoaffinity chromatography using			
	ā	antigens coupled to agaros	e beads.		
Specificity	E	By immunoelectrophoresis and ELISA this antibody reacts specifically with Rat IgG.			
	1	No antibody was detected	against non immunoglobulin serum proteins.		
Clonality	F	Polyclonal			
Conjugation	T	TRITC			
Form	1	1 mg/ml. Liquid in 0.01M P	hosphate Buffered Saline, pH 7.2, containing 1% BSA,		
	5	50% glycerol, 0.02% Sodiur	n Azide		
Dilution	I	IH (1/100 - 1/1000), IF (1/10	) - 1/1000), FC (1/1000 - 1/4000), E (Use at an assay		
	C	dependent concentration)			
Fluorophore	E	Ex/Em = 595 <b>/</b> 613 nm			
Storage/Stabi	lity S	Shipped at 4°C. Upon delive	ery aliquot and store at -20°C for one year. Avoid		
	f	freeze/thaw cycles.			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

## **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com