

Product Data Sheet

Mouse Anti-Human IgG Fc - Texas Red

Catalog #	Source	Reactivity	Applications	
CSA2736	Mouse	Н	E, IH, IF, FC	
Description		Mouse Monoclonal Secondary Antibody to Human IgG Fc Texas Red labeled		
Immunogen		Human IgG Fc		
Purification		The antibody was isolated from ascitic by immunoaffinity chromatography using		
		antigens coupled to agaros	e beads.	
Specificity By immunoelectrophore			and ELISA this antibody reacts specifically with Human	
		IgG Fc. No antibody was de	tected against non immunoglobulin serum proteins.	
Clonality		Monoclonal		
Conjugation		Texas Red		
Form		1 mg/ml. Liquid in 0.01M P	hosphate Buffered Saline, pH 7.2, containing 1% BSA,	
		50% glycerol, 0.02% Sodiur	n Azide	
Dilution		IH (1/100 - 1/1000), IF (1/10	0 - 1/1000), FC (1/1000 - 1/4000), E (Use at an assay	
		dependent concentration)		
Fluorophore		Ex/Em = 595/615 nm		
Storage/Stabi	lity	Shipped at 4°C. Upon delive	ery aliquot and store at -20°C for one year. Avoid	
		freeze/thaw cycles.		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference

Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB ORDER SUPPORT CUSTOM
www.cohesionbio.com order@cohesionbio.com techsupport@cohesionbio.com custom@cohesionbio.com