

## **Product Data Sheet**

## Mouse Anti-Human IgG Fc - AP

Catalog #	Source	Reactivity	Applications	
CSA2836	Mouse	Н	E, WB, IH, IC	
Description	Mouse Monoclonal Secondary Antibody to Human IgG Fc AP labeled			
Immunogen	Hum	Human IgG Fc		
Purification	The	The antibody was isolated from ascitic by immunoaffinity chromatography using		
	antig	gens coupled to agaro	se beads.	
Specificity	By in	By immunoelectrophoresis and ELISA this antibody reacts specifically with Human		
	IgG F	c. No antibody was d	etected against non immunoglobulin serum proteins.	
Clonality	Mon	Monoclonal		
Conjugation	AP	AP		
Form	Liqui	Liquid in 0.01M Phosphate Buffered Saline, pH 7.2, containing 1% BSA, 50% glycerol,		
	0.02	% Sodium Azide		
Dilution	E (1/	E (1/10000 - 1/50000), WB (1/5000 - 1/20000), IH (1/500 - 1/1000), IC (1/500 -		
	1/10	000)		
Storage/Stabi	Stability Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid		very aliquot and store at -20°C for one year. Avoid	
	freez	ze/thaw cycles.		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference

Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

## **COHESION BIOSCIENCES LIMITED**

WEB ORDER SUPPORT CUSTOM
www.cohesionbio.com order@cohesionbio.com techsupport@cohesionbio.com custom@cohesionbio.com