

Product Data Sheet

Goat Anti-Human IgG gamma chain - Cy7

Catalog #	Source	e Reactivity	Applications	
CSA4605	Goat	Н	E, IH, IF, FC	
Description	Goat Polyclonal Secondary Antibody to Human IgG gamma chain Cy7 labeled			
Immunogen		Human IgG gamma chain		
Purification		The antibody was isolated from antisera by immunoaffinity chromatography using		
		antigens coupled to agaros	e beads.	
Specificity		By immunoelectrophoresis	and ELISA this antibody reacts specifically with Human	
		IgG gamma chain. No antib	ody was detected against non immunoglobulin serum	
		proteins.		
Clonality		Polyclonal		
Conjugation		Су7		
Form		1 mg/ml. Liquid in 0.01M F	hosphate Buffered Saline, pH 7.2, containing 1% BSA,	
		50% glycerol, 0.02% Sodiur	n Azide	
Dilution		IH (1/100 - 1/1000), IF (1/10	0 - 1/1000), FC (1/1000 - 1/4000), E (Use at an assay	
		dependent concentration)		
Fluorophore		Ex/Em = 746/772 nm		
Storage/Stabi	lity	Shipped at 4°C. Upon delive	ery aliquot and store at -20°C for one year. Avoid	
		freeze/thaw cycles.		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC- Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB ORDER SUPPORT CUSTOM
www.cohesionbio.com order@cohesionbio.com techsupport@cohesionbio.com custom@cohesionbio.com