

Product Data Sheet

Goat Anti-Human IgG Fc - PE

Catalog #	Source	Reactivity	Applications	
CSA4704	Goat	Н	E, IH, IF, FC	
Description	(Goat Polyclonal Secondary Antibody to Human IgG Fc PE labeled		
Immunogen	1	Human IgG Fc		
Purification	-	The antibody was isolated	from antisera by immunoaffinity chromatography using	
	;	antigens coupled to agaros	e beads.	
Specificity	I	By immunoelectrophoresis	and ELISA this antibody reacts specifically with Human	
	I	IgG Fc. No antibody was de	tected against non immunoglobulin serum proteins.	
Clonality	I	Polyclonal		
Conjugation	I	PE		
Form	:	1 mg/ml. Liquid in 0.01M P	hosphate Buffered Saline, pH 7.2, containing 1% BSA,	
	!	50% glycerol, 0.02% Sodiur	n Azide	
Dilution	I	IH (1/100 - 1/1000), IF (1/10	0 - 1/1000), FC (1/1000 - 1/4000), E (Use at an assay	
	(dependent concentration)		
Fluorophore	I	Ex/Em = 565/576 nm		
Storage/Stabi	lity	Shipped at 4°C. Upon delive	ery aliquot and store at -20°C for one year. Avoid	
	f	freeze/thaw cycles.		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB ORDER SUPPORT CUSTOM
www.cohesionbio.com order@cohesionbio.com techsupport@cohesionbio.com custom@cohesionbio.com