

Product Data Sheet

Goat Anti-Human IgG (H&L) - APC

Catalog #	Source	Reactivity	Applications			
CSA4802	Goat	Н	E, IH, IF, FC			
Description	(Goat Polyclonal Secondary Antibody to Human IgG (H&L) APC labeled				
Immunogen	ŀ	Human IgG				
Purification	T	The antibody was isolated from antisera by immunoaffinity chromatography using				
	a	antigens coupled to agaros	e beads.			
Specificity	E	By immunoelectrophoresis and ELISA this antibody reacts specifically with Human				
	l;	gG. No antibody was dete	cted against non immunoglobulin serum proteins.			
Clonality	F	Polyclonal				
Conjugation	Þ	APC				
Form		1 mg/ml. Liquid in 0.01M Phosphate Buffered Saline, pH 7.2, containing 1% BSA,				
	5	50% glycerol, 0.02% Sodiur	n Azide			
Dilution	I	IH (1/100 - 1/1000), IF (1/100 - 1/1000), FC (1/1000 - 1/4000), E (Use at an assay				
	C	dependent concentration)				
Fluorophore	E	Ex/Em = 651/662 nm				
Storage/Stabi	lity S	Shipped at 4°C. Upon deliv	ery aliquot and store at -20°C for one year. Avoid			
	f	freeze/thaw cycles.				

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com