

Product Data Sheet

Rabbit Anti-Monkey IgG (H&L) - APC

Catalog # Source Reactivity Applications

CSA4826 Rabbit Mk E, IH, IF, FC

Description Rabbit Polyclonal Secondary Antibody to Monkey IgG (H&L) APC labeled

Immunogen Monkey IgG

Purification The antibody was isolated from antisera by immunoaffinity chromatography using

antigens coupled to agarose beads.

Specificity By immunoelectrophoresis and ELISA this antibody reacts specifically with Monkey

IgG. No antibody was detected against non immunoglobulin serum proteins.

Clonality Polyclonal

Conjugation APC

Form 1 mg/ml. Liquid in 0.01M Phosphate Buffered Saline, pH 7.2, containing 1% BSA,

50% glycerol, 0.02% Sodium Azide

Dilution IH (1/100 - 1/1000), IF (1/100 - 1/1000), FC (1/1000 - 1/4000), E (Use at an assay

dependent concentration)

Fluorophore Ex/Em = 651/662 nm

Storage/Stability Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid

freeze/thaw cycles.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference

Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED